


Neuroradiologia

**Dr. Karlinger Kinga PhD
Tudományos főmunkatárs
Semmelweis Egyetem, Budapest**

Systema nervorum centrale: investigatio

- **Röntgen**
 - fluoroscop O
 - film
 - Pneumoencephalographia
 - Ventriculographia
 - Myelographia (+CT)
- 
- os, Ca, aer
 - Invasiv
- **US**
 - **CT** (rtg !, c.m.)
 - neonatus
 - 3D, CTA, Dynamic
 - os, sanguis, encephalon, aqua

Systema nervorum centrale: investigatio

- **MRI** H⁺
 - MRA, MRS, fMR
 - multiplanar, tissue contrast, bone-artefact O, white matter
 - O Ca, sangius (ictus),clipps
 - mass effectus, vascularitas, vasc. (SAH, AVM) preoperativ . Intervencio +!
- **Angiographia**
 - c.m., catheter
- **Nuclearis
medicina**
 - SPECT => PET
 - circulation, metabolismus


MRI

- | | | |
|-------------------------|-----------------|-----------------------|
| • mit vizsgálunk | H | • what is the target |
| • közeg | magnetic field | • environment |
| • energia | RF impulse | • energy |
| • mágnesek | stabil, electro | • magnets |
| • T1, T2 relaxatio | | • T1, T2 relaxation |
| • jellocalisatio | | • signal localisation |
| • áramlási fenomen | signal void | • flow phenomenon |
| • kontraszt anyagok | Gd, SPIO | • contrast materials |
| • műtermékek | | • artefacts |
| • veszélyek, kontraind. | | • hazards, contraind. |
| • a jövő | | • the future |



Contrast material (T1, Gd paramagneticus)

Klinikum: urination probl



CNS pathologia


- **Cerebrovascularis**
- **Trauma**

- Parenchyma (infarctus):
 - anaemias
 - haemorrhagiás
 - Haematoma
 - subduralis
 - extraduralis
 - SAH
- {
- fractura
 - haemorrhagia
 - contusio

CNS pathologia


- **Tumor**
 - supra-, infratentorialis
 - extra-, intraaxialis
 - (sellaris, parasellaris)
- **Inflammatio**
 - bacterialis (meninx, parenchyma)
 - viralis
 - parasita
- **Parenchyma laesio**
 - demyelinisatio

fractura condylaris inferior, extracapsular



Haematoma

subdurale epidurale



CT: infarctus cerebri

- **Hyperacut infarctus (12 h)**
 - normal (50-60 %)
 - hyperdens arteria (25-50 %)
 - nucleus lentiformis O
- **Acut (12-24 h)**
 - ganglia bas. hypodens
 - cortex- medulla O (insular)
 - sulci O
- **1-3 ds**
 - mass effect
 - hypodensitas (cortex + medulla)
 - transformatio haemorrhagica (ganglia bas. + cortex)

Infarctus cerebri


- **4 – 7 ds**
 - gyri : enhancement
 - mass effect, oedema persistens
- **1 – 8 ss**
 - persistens enhancement
 - mass effect ↓
 - transiens calcificatio (infant.)
- **ms – annos**
 - encephalomalacia (cysta), volumen ↓
 - (calcificatio)



Paresis l.s. subacut



72 hs



Apoplexia cerebri Haemorrhagia

Haemorrhagia subarachnoidealis CT

50 f, oph. aneurysma




vasospasmus

Tumorok


Glioblastoma multiforme




Sclerosis multiplex



T1




c.m.




T2



Intervencio / occlusio



IOFB 3DCT



Craniopharyngioma DI



- ictus /stroke :
 - ischaemic , haemorrhagic (CT,MR)
- haematoma sub-/epidurale
- columna vertebralis v.s. myelon (CT, MR)